

MASTER CCTV CENTAR

Neodoljivi osećaj sigurnosti

KATALOG OPREME ZA KONTROLU PRISTUPA - SOYAL

SOYAL[®]
ACCESS CONTROL SYSTEM

Sadržaj

Čitači i terminali.....	3
Konvertori za priključenje na PC.....	6
Elektromagnetni prihvatnici.....	7
Kartice i tagovi.....	9
Tasteri.....	10

SOYAL



AR-723UBR Black

Čitač kartica

€ 26,00
VP bez PDV

Ne može da radi samostalno, Napajanje 9-24Vdc, podržava kartice 125kHz, protokoli: Wiegand, ABA-II i ASYNC, dimenzije: 81mm x 43mm x 18mm.

SOYAL



AR-723UBR White

Čitač kartica

€ 26,00
VP bez PDV

Ne može da radi samostalno, Napajanje 9-24Vdc, podržava kartice 125kHz, protokoli: Wiegand, ABA-II i ASYNC, dimenzije: 81mm x 43mm x 18mm.

SOYAL



AR-661U

Čitač velikog dometa (33-66cm)

€ 123,75
VP bez PDV

Ne može da radi samostalno, napajanje 12-16Vdc, podržava kartice 125kHz, protokoli: Wiegand, ABA-II i ASYNC, dimenzije: 228mm x 38mm. IP56.

SOYAL



AR-723HBR

Samostalni čitač kartica

€ 42,50
VP bez PDV

Napajanje 9-16Vdc, podržava kartice 125kHz, 1024 korisnika, memorija 1024 događaja, potrebna tastatura AR-WG-KEYBOARD za programiranje, OC izlaz za bravu (obavezna upotreba AR-821RB relejnog modula), ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 81mm x 43mm x 18mm. IP56.

SOYAL



AR-723HBR KIT

Samostalni čitač kartica - kit komplet

€ 55,00
VP bez PDV

U kompletu sa čitačem se dobijaju tastatura AR-WG-KEYBOARD za programiranje i AR-821RB relejni modul. Napajanje 9-16Vdc, podržava kartice 125kHz, 1024 korisnika, memorija 1024 događaja, OC izlazi za bravu (obavezna upotreba AR-821RB relejnog modula), ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 81mm x 43mm x 18mm. IP56.

SOYAL



AR-331-HBR

Samostalni čitač kartica sa tastaturom

€ 61,00
VP bez PDV

Napajanje 9-24Vdc, podržava kartice 125kHz, 3000 korisnika, memorija 1500 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 154mm x 51mm x 21mm. IP56.

SOYAL



AR-725-EP Black

Samostalni čitač kartica sa tastaturom

Napajanje 9-24Vdc, podržava kartice 125KHz, 16000 korisnika, memorija 32000 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 125mm x 79mm x 22mm. IP55.

€ 91,00
VP bez PDV

SOYAL



AR-725-EP White

Samostalni čitač kartica sa tastaturom

Napajanje 9-24Vdc, podržava kartice 125KHz, 16000 korisnika, memorija 32000 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 125mm x 79mm x 22mm. IP55.

€ 91,00
VP bez PDV

SOYAL



AR-725-EM Black

Samostalni čitač kartica kartica sa tastaturom u metalnom kućištu

Napajanje 9-24Vdc, podržava kartice 125KHz, 16000 korisnika, memorija 32000 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 125mm x 89mm x 40mm. IP55.

€ 130,00
VP bez PDV

SOYAL



AR-721H

Samostalni čitač kartica kartica sa tastaturom

Napajanje 9-24Vdc, podržava kartice 125KHz, 1024 korisnika, memorija 1100 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 111mm x 77mm x 26mm.

€ 98,75
VP bez PDV

SOYAL



AR-757H

Samostalni čitač kartica kartica sa tastaturom

Napajanje 9-24Vdc, podržava kartice 125KHz, 1024 korisnika, memorija 3000 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 126mm x 91mm x 32mm. IP54.

€ 123,75
VP bez PDV

SOYAL



AR-727EBR

Terminal za kontrolu pristupa

Napajanje 9-24Vdc, podržava kartice 125KHz, 16000 korisnika, memorija 32000 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 126mm x 91mm x 46mm. IP54.

€ 143,75
VP bez PDV

SOYAL



AR-327H

Terminal za kontrolu pristupa

€ 232,00
VP bez PDV

Napajanje 9-24Vdc, podržava kartice 125KHz, 3000 korisnika, memorija 1500 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, dimenzije: 140mm x 92mm x 40mm. IP56.

SOYAL



AR-821EF

Biometrijski terminal za kontrolu pristupa

€ 387,50
VP bez PDV

Napajanje 12Vdc, 1450 otisaka, podržava kartice 125KHz, 10000 korisnika, memorija 11000 događaja, relejni izlaz za bravu 24Vdc/1A, ulaz za otključavanje brave, ulaz za status vrata, TCP/IP, dimenzije: 126mm x 91mm x 46mm.

SOYAL



AR-821RB

Relejni modul za čitač AR-723HBR

€ 3,70
VP bez PDV

SOYAL



AR-WG-KEYBOARD

Programator za čitač AR-723HBR

€ 15,00
VP bez PDV



SF-2000

Biometrijsko-beskontaktni čitač sa kontrolerom, stand-alone

€ 192,50
VP bez PDV

1.000 korisnika, interna memorija: 2.000 događaja, mogućnost povezivanja na PC, softver za kontrolu pristupa



SF-2000P/2000K

Programator za SF-2000

€ 40,00
VP bez PDV

SOYAL



AR-701CM

Konvertor RS-232/RS-485

za čitače serije AR

€ 43,75
VP bez PDV

SOYAL



AR-321CM

Konvertor USB/RS-485

Za čitače serije AR.

€ 48,75
VP bez PDV

SOYAL



AR-727CM

Konvertor TCP/IP na RS-232/RS-485

za čitače serije AR

€ 86,25
VP bez PDV

SOYAL



AR-0300M/150

Elektromagnetni prihvatnik, maksimalno opterećenje 150kg, 12/24Vdc

Ulazni napon: 12Vdc do 24Vdc. Potrošnja na 12Vdc je 370mA. Potrošnja na 24Vdc je 185mA. Kontakti za status vrata.

€ 60,00
VP bez PDV

SOYAL



AR-0300MZL/150

Nosač L/Z profila za AR0300M/150

€ 29,00
VP bez PDV

SOYAL



AR-0600M

Elektromagnetni prihvatnik, maksimalno opterećenje 300kg, 12/24Vdc

Ulazni napon: 12Vdc do 24Vdc. Potrošnja na 12Vdc je 500mA. Potrošnja na 24Vdc je 250mA. Kontakti za status vrata.

€ 63,75
VP bez PDV

SOYAL



AR-0600M-MZL

Nosač L/Z profila za AR0600M

€ 33,75
VP bez PDV

SOYAL



AR1200M

Elektromagnetni prihvatnik, maksimalno opterećenje 600kg, 12/24Vdc

Ulazni napon: 12Vdc do 24Vdc. Potrošnja na 12Vdc je 500mA. Potrošnja na 24Vdc je 250mA. Kontakti za status vrata.

€ 98,00
VP bez PDV

SOYAL



AR1200MZL

Nosač L/Z profila za AR1200M

€ 41,25
VP bez PDV



IBFM 9500

Elektromagnetna brava za interfon, normalno zaključana

€ 22,00
VP bez PDV



EI. prihvataci YLI YS-132NO-FAIL SECURE

Elektroprihvataci, zaključani kada je bez napona - fail secure, sa silom držanja do 500 kg

€ 26,00
VP bez PDV



EI. prihvataci JIS

Elektricni prihvataci JIS, štelaćući, 12V

€ 26,04
VP bez PDV



JIS fail safe

Elektricni prihvataci dugi JIS-Nadal
Badel, odblokiran kada nestane struje

€ 50,62
VP bez PDV



WS-132NC

Elektricni prihvataci dugi, odblokiran kada nestane struje - fail safe, sa silom držanja do 500 kg

€ 27,00
VP bez PDV

SOYAL



SC-40/AR-TAGK11R20

Beskontaktna kartica u obliku priveska za ključeve

€ 1,88
VP bez PDV

SOYAL



AR-TAG K7

125 kHz Black Square Keychain, Read only, w/ RoHS

€ 1,99
VP bez PDV

SOYAL



AR-TAG RW

125 kHz Black Square Keychain, Read and Write, w/ RoHS

€ 3,00
VP bez PDV



WS-30

Taster od nerđajućeg čelika, NO kontakt □

€ 11,13
VP bez PDV



G-BOX

Panik taster za izlaz - zeleni

€ 15,38
VP bez PDV



AR-PB5/41108

Taster od nerđajućeg čelika, za otvaranje električne brave NO kontakt

Radni vek >50 000 pritisaka, dimenzije 41x108x7mm, 30 VDC/100mA, radna temperatura -25 do 70 °C

€ 11,13
VP bez PDV



AR-PB5-K

Taster od nerđajućeg čelika, za otvaranje električne brave NO kontakt

Radni vek >50 000 pritisaka, dimenzije 86x86x13mm, 30 VDC/100mA, radna temperatura -25 do 70 °C

€ 11,88
VP bez PDV



AR-PB2-U

Taster od nerđajućeg čelika, za otvaranje električne brave NO kontakt

Otporan na vremenske uticaje za unutrašnju i spoljnu upotrebu, dimenzije 108(H)x41(W)x4/15(D)

€ 12,49
VP bez PDV



WS-PBK-815

Taster od nerđajućeg čelika, Nazidna montaža, za otvaranje električne brave NO kontakt

Otporan na vremenske uticaje za unutrašnju i spoljnu upotrebu, dimenzije 83 x 32 x 25 mm.

€ 10,60
VP bez PDV



WS-ISK-841A - No Touch

Taster od nerđajućeg čelika, za otvaranje električne brave bez dodira, domet detekcije: 4-10cm, sa LED svetlom bele, crvene i zelene boje, kontaktni izlaz: NO/NC/COM

Otporan na vremenske uticaje za unutrašnju i spoljnu upotrebu, dimenzije 90(H)X35(W)X38(D)

€ 21,25
VP bez PDV



WS-MBB-811A-M

Montažna kutija

Dimenzije DxŠxV: 90 x 35 x 25 mm, materijal: legura zinka zaštićeno spolja hromiranjem, pogodno za nazidnu montažu tastera WS-ISK-841A - No Touch

€ 7,00
VP bez PDV




WS-ISK-841C - No Touch

Taster od nerđajućeg čelika, za otvaranje električne brave bez dodira, domet detekcije: 4-10cm, sa LED svetlom bele, crvene i zelene boje, kontaktni izlaz: NO/NC/COM

Otporan na vremenske uticaje za unutrašnju i spoljnu upotrebu, dimenzije 86(H)x86(W)x26(D).

€ 21,25
VP bez PDV



WS-MBB-811C-M

Montažna kutija

Dimenzije DxŠxV: 86 x 86 x 25 mm, materijal: legura zinka zaštićeno spolja hromiranjem, pogodno za nazidnu montažu tastera WS-ISK-841C - No Touch

€ 10,00
VP bez PDV

SOYAL



AR-PB2-U-LED

Taster od nerđajućeg čelika, za otvaranje električne brave NO kontakt, sa LED svetlom

Otporan na vremenske uticaje za unutrašnju i spoljnu upotrebu, dimenzije 108(H)X41(W)X4/15(D)

€ 17,50
VP bez PDV

SOYAL



AR-PB2-K-LED

Taster od nerđajućeg čelika, za otvaranje električne brave NO kontakt, sa LED svetlom

Otporan na vremenske uticaje za unutrašnju i spoljnu upotrebu, dimenzije 108(H)X68(W)X4/15(D)

€ 17,50
VP bez PDV

